

§ 附 錄 B §

粒徑分佈曲線結果



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747


大地工程試驗室

粒徑分佈曲線

報告編號:2020082

本報告共46頁 第17頁

試驗日期:2019.08.27~2020.09.14



SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC1	A-1	S-2	4.05-4.50	○	SC6	P1-CL	S-3	6.00-6.45	■
SC2	A-1	S-3	5.55-6.00	●	SC7	P1-CL	S-4	8.00-8.45	◇
SC3	A-1	S-4	7.05-7.50	△	SC8	P1-CL	S-10	20.00-20.45	◆
SC4	A-1	S-10	18.00-18.45	▲	SC9	P2-7	S-1	1.05-1.40	×
SC5	A-1	S-11	20.55-21.00	□	SC10	P2-7	S-4	7.00-7.45	+



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747


大地工程試驗室

粒徑分佈曲線


報告編號:2020082

本報告共46頁 第18頁

試驗日期:2019.08.27~2020.09.14



GRAVEL					COARSE SAND	MEDIUM SAND	FINE SAND	SILT			CLAY	
SIEVE ANALYSIS							HYDROMETER ANALYSIS					
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol			
SC11	P2-7	S-10	20.00-20.45	○	SC16	P3-7	S-6	12.00-12.35	■			
SC12	P2-7	S-11	22.00-22.45	●	SC17	P3-7	S-10	20.00-20.45	◇			
SC13	P2-22	S-28	56.00-56.38	△	SC18	P3-7	S-11	22.00-22.45	◆			
SC14	P3-7	S-2	4.00-4.45	▲	SC19	P3-7	S-12	24.00-24.45	×			
SC15	P3-7	S-4	8.00-8.45	□	SC20	P3-7	S-30	60.00-60.38	+			




大地工程試驗室

粒徑分佈曲線

報告編號:2020082

本報告共46頁 第19頁

試驗日期:2019.08.27~2020.09.14




SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC21	P3-7	S-31	62.00-62.37	○	SC26	P-4	S-1	1.05-1.50	■
SC22	P3-22	S-3	6.00-6.45	●	SC27	P-4	S-6	10.00-10.45	◇
SC23	P3-22	S-4	8.00-8.45	△	SC28	P-4	S-12	22.00-22.45	◆
SC24	P3-22	S-10	20.00-20.45	▲	SC29	P-4	S-13	24.00-24.45	×
SC25	P3-22	S-11	22.00-22.45	□	SC30	P5-CL	S-11	22.00-22.45	+




報告編號:2020082

本報告共46頁 第20頁


試験日期:2019.08.27~2020.09.14





粒徑分佈曲線

試験日期:2019.08.27~2020.09.14






大地工程試驗室

粒徑分佈曲線

報告編號:2020082

本報告共46頁 第22頁

試験日期:2019.08.27~2020.09.14



SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC51	P-8	S-5	8.00-8.40	○	SC56	P8-5	S-1	1.05-1.50	■
SC52	P-8	S-12	21.55-22.00	●	SC57	P8-5	S-2	2.55-3.00	◇
SC53	P-8	S-13	23.55-24.00	△	SC58	P8-5	S-5	8.00-8.45	◆
SC54	P-8	S-14	25.05-25.50	▲	SC59	P8-5	S-12	22.00-22.45	×
SC55	P-8	S-15	26.55-27.00	□	SC60	P8-5	S-13	24.00-24.45	+



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747

大地工程試驗室


粒徑分佈曲線



報告編號: 2020082

本報告共46頁 第23頁

試驗日期: 2019.08.27~2020.09.14



GRAVEL					COARSE SAND	MEDIUM SAND	FINE SAND		SILT			CLAY	
SIEVE ANALYSIS							HYDROMETER ANALYSIS						
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol				
SC61	P8-5	S-14	26.00-26.45	○	SC66	P-9	S-5	7.05-7.50	■				
SC62	P8-5	S-15	28.00-28.45	●	SC67	P-9	S-6	8.55-9.00	◇				
SC63	P-9	S-1	1.05-1.50	△	SC68	P-9	S-7	10.05-10.50	◆				
SC64	P-9	S-2	2.55-3.00	▲	SC69	P-9	S-14	27.00-27.45	×				
SC65	P-9	S-3	4.05-4.50	□	SC70	P-9	S-15	29.00-29.45	+				



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747

大地工程試驗室


粒徑分佈曲線



報告編號: 2020082

本報告共46頁 第24頁

試驗日期: 2019.08.27~2020.09.14





富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747


大地工程試驗室

粒徑分佈曲線

報告編號:2020082

本報告共46頁 第25頁

試驗日期:2019.08.27~2020.09.14



GRAVEL					COARSE SAND	MEDIUM SAND	FINE SAND		SILT			CLAY	
SIEVE ANALYSIS							HYDROMETER ANALYSIS						
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol				
SC81	P-10	S-14	29.55-30.00	○	SC86	A-2	S-2	2.55-3.00	■				
SC82	P-10	S-15	31.05-31.50	●	SC87	A-2	S-3	4.05-4.50	◇				
SC83	P-10	S-16	32.55-33.00	△	SC88	A-2	S-5	7.05-7.50	◆				
SC84	P-10	S-17	34.00-34.50	▲	SC89	A-2	S-6	8.55-9.00	×				
SC85	A-2	S-1	1.05-1.50	□	SC90	TW-1	S-3	6.00-6.45	+				



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747

大地工程試驗室


粒徑分佈曲線



報告編號: 2020082

本報告共46頁 第26頁

試驗日期: 2019.08.27~2020.09.14



SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC91	TW-1	S-4	8.00-8.45	○	SC96	TW-2	S-11	22.00-22.45	■
SC92	TW-1	S-10	20.00-20.45	●	SC97	TW-2	S-12	24.00-24.45	◇
SC93	TW-2	S-1	2.00-2.40	△	SC98	TW-2	S-20	40.00-40.37	◆
SC94	TW-2	S-3	6.00-6.45	▲	SC99	TW-2	S-21	42.00-42.38	×
SC95	TW-2	S-4	8.00-8.45	□	SC100	TW-3	S-9	18.00-18.45	+



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747

大地工程試驗室


粒徑分佈曲線



報告編號:2020082

本報告共46頁 第27頁

試驗日期:2019.08.27~2020.09.14



SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth, m	Symbol	Test No	Hole No	Sample No	Depth, m	Symbol
SC101	TW-3	S-10	20.00-20.45	○	SC106	TW-4	S-12	24.00-24.45	■
SC102	TW-4	S-1	1.05-1.50	●	SC107	TW-5	S-1	1.05-1.50	◇
SC103	TW-4	S-5	10.00-10.45	△	SC108	TW-5	S-5	10.00-10.45	◆
SC104	TW-4	S-10	20.00-20.45	▲	SC109	TW-5	S-12	24.00-24.45	×
SC105	TW-4	S-11	22.00-22.45	□	SC110	TW-5	S-19	42.00-42.36	+



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747

大地工程試驗室


粒徑分佈曲線



報告編號:2020082

本報告共46頁 第28頁

試驗日期:2019.08.27~2020.09.14



SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth, m	Symbol	Test No	Hole No	Sample No	Depth, m	Symbol
SC111	TW-6	S-5	10.00-10.45	○	SC116	TW-7	S-13	24.00-24.45	■
SC112	TW-6	S-10	20.00-20.45	●	SC117	TW-7	S-14	26.00-26.45	◇
SC113	TW-6	S-11	22.00-22.45	△	SC118	TW-7	S-15	28.00-28.45	◆
SC114	TW-7	S-5	8.00-8.45	▲	SC119	TW-7	S-16	30.00-30.45	×
SC115	TW-7	S-6	10.00-10.45	□	SC120	TW-7	S-20	38.00-38.37	+




大地工程試驗室

粒徑分佈曲線

報告編號:2020082

本報告共46頁 第29頁

試驗日期:2019.08.27~2020.09.14



Diameter , mm									
GRAVEL			COARSE SAND	MEDIUM SAND	FINE SAND		SILT		CLAY
SIEVE ANALYSIS						HYDROMETER ANALYSIS			
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC121	TW-7	S-21	40.00-40.36	○	SC126	TW-8	S-3	4.05-4.50	■
SC122	TW-7	S-22	42.00-42.38	●	SC127	TW-8	S-14	25.55-26.00	◇
SC123	TW-7	S-23	44.00-44.38	△	SC128	TW-8	S-15	28.00-28.45	◆
SC124	TW-8	S-1	1.05-1.50	▲	SC129	擋土牆	S-1	1.05-1.50	×
SC125	TW-8	S-2	2.55-3.00	□	SC130	擋土牆	S-2	2.55-3.00	+



富國技術工程股份有限公司
SINO GEOTECHNOLOGY, INC.



Civil Engineering
Laboratory
0747


大地工程試驗室

粒徑分佈曲線


報告編號:2020082

本報告共46頁 第30頁

試驗日期:2019.08.27~2020.09.14



SIEVE ANALYSIS					HYDROMETER ANALYSIS				
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC131	擋土牆	S-3	4.05-4.50	○	SC136	P-4	CB-1	55.05-55.40	■
SC132	擋土牆	S-5	7.05-7.50	●	SC137	P6-18	CB-1	52.57-53.00	◇
SC133	擋土牆	S-6	8.55-9.00	△	SC138	P6-7	CB-1	51.41-51.90	◆
SC134	擋土牆	S-12	26.55-27.00	▲	SC139	P7-7	CB-1	52.15-52.60	×
SC135	P3-22	CB-1	54.73-55.00	□	SC140	P-8	CB-1	48.00-48.30	+




大地工程試驗室

粒徑分佈曲線

報告編號:2020082

本報告共46頁 第31頁

試験日期:2019.08.27~2020.09.14



Sieve Analysis					Hydrometer Analysis				
Test No	Hole No	Sample No	Depth , m	Symbol	Test No	Hole No	Sample No	Depth , m	Symbol
SC141	P8-5	CB-1	47.00-47.35	○					■
SC142	TW-3	CB-1	40.27-40.56	●					◇
SC143	TW-4	CB-1	37.00-37.33	△					◆
SC144	TW-6	CB-1	38.20-38.50	▲					×
				□					+